


TA785 A2+ Motherboard



- Supported Socket AM3 processors AMD Phenom II X4 / Phenom II X3 / Phenom II X2 processor
- Support latest AMD Phenom X4 , X3 / Athlon /Sempron processors
- AMD 125W processor support
- AMD 785G Chipset with ATI Radeon HD 4200 Graphics
- Dual-Channel DDR2 -1066/800/667/533
- ATI Hybrid Graphics Support
- Integrated DVI interface with HDCP Support 1080P HD Video Experience
- AMD OverDrive Utility Support
- Optional DVI to HDMI adapter

TA785 A2+ Specification

CPU SUPPORT

AMD Phenom™ II X6 Processor
 AMD Phenom™ II X4 Processor
 AMD Phenom™ II X3 Processor
 AMD Phenom™ II X2 Processor
 AMD Phenom™ X4 Processor
 AMD Phenom™ X3 Processor
 AMD Athlon™ II X4 Processor
 AMD Athlon™ II X3 Processor
 AMD Athlon™ II X2 Processor
 AMD Athlon™ X2 Dual-Core Processor
 AMD Athlon™ 64 X2 Dual-Core Processor
 AMD Athlon™ 64 FX Processor
 AMD Athlon™ 64 Processor
 AMD Sempron™ Processor
 Maximum CPU TDP (Thermal Design Power) : 125Watt

HT

Support HT 5.2(O.C.)G

MEMORY	Support Dual Channel DDR2 533/667/800/1066(1066 by AM2+/AM3 CPU) MHz 4 x DDR2 DIMM Memory Slot Max. Supports up to 16GB Memory
INTEGRATED VIDEO	ATI Radeon™ HD4200 Graphics , Max. Memory Share Up to 512 MB Support ATI Hybrid Crossfire
STORAGE	6 x SATA II Connector 1 x IDE Connector Support SATA RAID: 0,1,10
LAN	Realtek RTL8111DL - 10/100/1000 Controller
AUDIO CODEC	Realtek ALC662 6-Channel HD Audio
USB	4 x USB 2.0 Port 3 x USB 2.0 Header
EXPANSION SLOT	1 x PCI-E 2.0 x16 Slot 2 x PCI-E 2.0 x1 Slot 3 x PCI Slot
REAR I/O	1 x PS/2 Mouse 1 x PS/2 Keyboard 4 x USB 2.0 Port 1 x DVI Connector 1 x VGA Port 1 x LAN Port 3 x Audio Jacks
INTERNAL I/O	3 x USB 2.0 Header 6 x SATA II Connector (3Gb/s) 1 x IDE Connector 1 x Floppy Connector 1 x Front Audio Header 1 x Front Panel Header 1 x CD-IN Header 1 x S/PDIF-Out Header 1 x CPU Fan Connector 2 x System Fan Connector 1 x COM Port Header
DIMENSION	ATX Form Factor Dimension: 30.5cm X 22.5cm (W x L)
OS SUPPORT	Supports Windows XP / Vista / 7

ACCESSORIES	3 x SATA Cable 1 x SATA Power Cable 1 x I/O Shield 1 x Fully Setup Driver CD 1 x User Manual 1 x DVI to HDMI adapter (Optional)
FEATURES	Windows 7 Compatible Supports Phenom II x6 Supports AM3/AM2+ Supports Solid capacitor Supports Fanless Supports Clean-Tone Supports O.N.E Supports Rapid Switch Supports Rapid Debug BIO-FASHER Supports Toverclocker OC software Supports GPU
TA785 A2+ OVERVIEW	
*The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!	